

IMPORTANT: PLEASE RETAIN THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE



2005 CHRYSLER 300 "ULTIMATE", "HEAVY METAL", "EURO", "CENTER BAR" & "DOUBLE MESH" MESH GRILLE INSTALLATION INSTRUCTIONS D 11 GSR

Notes to the Technician:
E&G is proud to present this package to you and reminds you that for technical information, contact Lynn Eash or Lee Clary at 410-381-4900. Do not attempt installation any E&G product without first reading the detailed instructions. E&G Classics will not warrant damaged parts or vehicle due to altered installation instructions.

Copyright © 2004 by E&G Classics, Inc. All rights reserved. The reproduction or utilization of this work in any form or any electronic, mechanical, or other means, no known or hereafter invented, including xerography, photocopying, and recording, and in any information storage retrieval system is forbidden without written permission of owners.

Quantity	Description	Part No.
1	Mesh Grille Insert (includes) _____	1099-0034-05
	Stainless Steel Surround _____	1099-0040-05
	Stainless Steel Mesh Insert _____	1099-0040-05
4	Piece Retainer _____	Top 1099-0041-05
		Bottom 1099-0042-05
		L/R Sides 1099-0043-05
	7' of Black Edge Guard _____	1099-0073-00
	(10) 3/16" x 1/2" x .062" Black Nylon Washers _____	1099-0256-00
	(14) 8-32 S.S. Hex Nuts _____	1099-9072-00
	Small "E&G Classics" Emblem _____	1099-0268-00
1	Hardware Kit (components listed below) _____	1099-1902-05
6	1/8" I.D. x 1" O.D. Black Washers _____	1099-0227-00
6	8-32 ESNA Half Nuts _____	1099-0065-00
1	Hole Drilling Template _____	1099-0039-05
1	S.S. Emblem Surround _____	1099-0044-05
1	Double Faced Tape for Emblem Assembly _____	1099-0197-05
1	E&G Multi-Color Emblem _____	1099-0046-05

Quantity	Description	Part No.
1	"Euro" Mesh Grille Insert (includes) _____	1099-0037-05
	"Euro" Stainless Steel Surround _____	1099-0040-05
	Stainless Steel Mesh Insert _____	1099-0040-05
4	Piece Retainer _____	Top 1099-0041-05
		Bottom 1099-0042-05
		L/R Side 1099-0043-05
	7' of Black Edge Guard _____	1099-0073-00
	(10) 3/16" x 1/2" x .062" Black Nylon Washers _____	1099-0256-00
	(14) 8-32 S.S. Hex Nuts _____	1099-9072-00
	Small "E&G Classics" Emblem _____	1099-0268-00
1	Hardware Kit (components listed below) _____	1099-1902-05
6	1/8" I.D. x 1" O.D. Black Washers _____	1099-0227-00
6	8-32 ESNA Half Nuts _____	1099-0065-00
1	Hole Drilling Template _____	1099-0039-05
1	S.S. Emblem Surround _____	1099-0044-05
1	Double Faced Tape for Emblem Assembly _____	1099-0197-05
1	E&G Multi-Color Emblem _____	1099-0046-05

Quantity	Description	Part No.
1	"Center Bar" Mesh Grille Insert (includes) _____	1099-0038-05
	"Center Bar" Stainless Steel Surround _____	1099-0040-05
	Stainless Steel Mesh Insert _____	1099-0040-05
4	Piece Retainer _____	Top 1099-0041-05
		Bottom 1099-0042-05
		L/R Sides 1099-0043-05
	7' of Black Edge Guard _____	1099-0073-00
	(10) 3/16" x 1/2" x .062" Black Nylon Washers _____	1099-0256-00
	(14) 8-32 S.S. Hex Nuts _____	1099-9072-00
	Small "E&G Classics" Emblem _____	1099-0268-00
1	Hardware Kit (components listed below) _____	1099-1902-05
6	1/8" I.D. x 1" O.D. Black Washers _____	1099-0227-00
6	8-32 ESNA Half Nuts _____	1099-0065-00
1	Hole Drilling Template _____	1099-0039-05
1	S.S. Emblem Surround _____	1099-0044-05
1	Double Faced Tape for Emblem Assembly _____	1099-0197-05
1	E&G Multi-Color Emblem _____	1099-0046-05

Quantity	Description	Part No.
1	Ultimate Mesh Grille Insert (includes) _____	1099-0032-05
	Chrome Plated Stainless Steel Surround _____	1099-0040-05
	Chrome Plated Stainless Steel Mesh Insert _____	1099-0040-05
4	Piece Retainer _____	Top 1099-0041-05
		Bottom 1099-0042-05
		L/R Sides 1099-0043-05
	Chrome Plated 3D Emblem Top _____	1099-0051-05
	Chrome Plated 3D Emblem Center _____	1099-0052-05
	Chrome Plated 3D Emblem Bottom _____	1099-0053-05
	(10) 3/16" x 1/2" x .062" Black Nylon Washers _____	1099-0256-00
	(18) 8-32 S.S. Hex Nuts _____	1099-9072-00
	Small "E&G Classics" Emblem _____	1099-0268-00
1	Hardware Kit (components listed below) _____	1099-1902-05
6	1/8" I.D. x 1" O.D. Black Washers _____	1099-0227-00
6	8-32 ESNA Half Nuts _____	1099-0065-00
1	Hole Drilling Template _____	1099-0039-05
1	E&G Multi-Color Emblem _____	1099-0046-05

Quantity	Description	Part No.
1	Double Mesh Insert (includes) _____	1099-0037-05
	Stainless Steel Surround _____	1099-0040-05
	Double Mesh Stainless Steel Overlay _____	1099-0020-05
	Double Mesh Stainless Steel Mesh Insert _____	1099-0020-05
4	Piece Retainer _____	Top 1099-0041-05
		Bottom 1099-0042-05
		L/R Side 1099-0043-05
	(10) 3/16" x 1/2" x .062" Black Nylon Washers _____	1099-0256-00
	(14) 8-32 S.S. Hex Nuts _____	1099-9072-00
	Small "E&G Classics" Emblem _____	1099-0268-00
1	Hardware Kit (components listed below) _____	1099-1902-05
6	1/8" I.D. x 1" O.D. Black Washers _____	1099-0227-00
6	8-32 ESNA Half Nuts _____	1099-0065-00
1	Hole Drilling Template _____	1099-0039-05
1	S.S. Emblem Surround _____	1099-0044-05
1	Double Faced Tape for Emblem Assembly _____	1099-0197-05
1	E&G Multi-Color Emblem _____	1099-0046-05

Quantity	Description	Part No.
1	Double Mesh Center Bar Insert (includes) _____	1099-0038-05
	"Center Bar" Stainless Steel Surround _____	1099-0040-05
	Double Mesh Stainless Steel Overlay _____	1099-0020-05
	Double Mesh Stainless Steel Mesh Insert _____	1099-0020-05
4	Piece Retainer _____	Top 1099-0041-05
		Bottom 1099-0042-05
		L/R Side 1099-0043-05
	(10) 3/16" x 1/2" x .062" Black Nylon Washers _____	1099-0256-00
	(14) 8-32 S.S. Hex Nuts _____	1099-9072-00
	Small "E&G Classics" Emblem _____	1099-0268-00
1	Hardware Kit (components listed below) _____	1099-1902-05
6	1/8" I.D. x 1" O.D. Black Washers _____	1099-0227-00
6	8-32 ESNA Half Nuts _____	1099-0065-00
1	Hole Drilling Template _____	1099-0039-05
1	S.S. Emblem Surround _____	1099-0044-05
1	Double Faced Tape for Emblem Assembly _____	1099-0197-05
1	E&G Multi-Color Emblem _____	1099-0046-05

The exposed edges of the stainless steel grille and mesh can be extremely sharp. Please handle with care.

IMPORTANT!



1. Apply masking tape completely around the factory grille to protect the paint (not shown).
2. Open the hood and remove the plastic header panel cover (by lifting straight up) and the top plastic push fasteners.



6. Remove the lower four (4) securing screws by pulling the grille out as far as you can to gain clearance for screw removal. Remove the screws from left to right, the subsequent screws will be easier to remove as you will be able to pull the grille farther out.




3. Remove the four (4) factory fasteners (#2 square drive bit) across the top and one (1) down each side of the grille.
4. Unclip the top and the sides of the factory grille by pulling straight out (not shown).




7. For vehicles other than ones painted black or dark colors, mask the grille return edge 1/2" back from the front of the opening and scuff the exposed paint with a scotch brite pad. Paint the return and everything that would be visible through the mesh grille with flat or semigloss black paint. Once the paint is dry, remove the masking tape.




5. The best way to remove the lower four (4) factory mounting screws is to use a small ratcheting screw driver or a ratcheting box wrench and a #2 square drive short bit (as shown). The large plastic screws that secure the bumper cover to the black bumper styro-foam need to be removed using a #3 square drive bit (not shown).




8. Once the paint is dry, cut out and align the supplied template for the lower mounting hole locations and tape it in place. Use an awl or similar pointed tool and mark the bumper cover at all three mounting hole locations (see arrows).




9. Drill through the marks made in the bumper cover with a 1/8" drill bit.
10. Enlarge the top and side factory grille mounting holes to 3/8" (not shown).



11. Align the E&G grille into the opening and press the lower mounting studs into the holes drilled in the bumper cover to secure the bottom edge.




12. Align the E&G Mesh Grille's middle mounting studs with the factory enlarged mounting holes in the bumper cover before you align the upper mounting studs with the enlarged factory mounting holes.
13. Once all the mounting studs are passed through the enlarged factory mounting holes, install black plastic washers and 8-32 ESNA lock nuts and tighten.




14. For "Heavy Mesh", "Euro", "Center Bar" & "Double Mesh" grilles only: Clean the top of the stainless surround and emblem surround with alcohol to remove grease & finger prints. Install the supplied double faced tape ring to the back of the emblem surround. Align the E&G emblem surround. Peel back a small section of the double faced tape backing, align the emblem surround, pull out the tape backing and press the emblem surround firmly into place.




15. For all grilles: Make sure to thoroughly clean the emblem recess with alcohol to remove grease and fingerprints. Peel the backing from the E&G emblem and install the emblem in the center of the E&G emblem surround.



16. Trim the front tag bracket (if equipped), removing the top mounting bosses and trimming the left and right extensions that originally fit into the front grille opening recess. When finished, the modified tag bracket should look this this.



17. Align the modified front tag bracket below the mesh grille (where shown). Install the modified tag bracket back onto the bumper cover by drilling new 3/32" mounting holes and reusing the factory screws (**DO NOT OVERTIGHTEN**). Reinstall the radiator support panel cover (not shown).



18. Finished installation.

WARRANTY INFORMATION:

ES&G Classics, Inc. warrants its chrome parts and products to be free from defects in material, workmanship or finish for Thirty-Six (36) months from the date of shipment by ES&G. This warranty is limited to the repair or replacement, at ES&G Classics option, of the defective part or product.

To obtain performance under this warranty you must:

- 1.) Present your ES&G unit to an authorized distributor in your area with proof of purchase.
- 2.) If no distributor is available, contact ES&G Classics [address below] for authorization to return unit.
- 3.) Returns - All unauthorized returns will be refused. Merchandise approved by ES&G for return must have been purchased within the Thirty-Six (36) months. All returns require an authorization number obtained from ES&G and the actual return must be accompanied by the written authorization form filled out completely. All merchandise must be inspected upon receipt and shortages reported within 48 hours. All merchandise must be in a resalable condition. Merchandise must be packed carefully in the original packing. If original packing is no longer usable, repack items in comparable to original manner. All returns are subject to a 25% handling charge. Special order items are not returnable. Defective merchandise must have an explanation of the problem. No credit will be issued unless invoice number and date of purchase has been supplied. Manufacturer shall be sole judge of defects in a product.
- 4.) UPS accounts - All returns must be prepaid. Do not send return shipments freight collect. Once ES&G has made its decision and it is a claim against our warranty policy, ES&G will credit incoming freight on damaged parts.
- 5.) No discontinued part or parts changed due to body style are returnable.

For Return Authorization, write or telephone: ES&G Classics, Inc., 9910 McGaw Court, Columbia, MD 21045 (410) 381-4900 Attn.: Return Department

You are responsible for inspecting all packages containing ES&G Classics' parts and product immediately upon their receipt and must file a claim with the carrier for any damage disclosure by such inspection and notify ES&G Classics in writing at the above address of any such damage. This warranty does not extend to any of our products which have been subject to misuse, neglect, accident or have been altered or repaired in any way. This warranty does not cover any accidental or consequential damages for any breach of this warranty agreement. ES&G Classics shall have no responsibility for any loss of time, inconvenience, commercial loss or consequential damage, nor shall ES&G be liable for any injury or damage to persons or property by reason of any defect in material, workmanship or finish of its parts or products. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.