

Material Safety Data Sheet

1. Chemical Product & Company Data

Product Name: OdorX Thermo 55™ (series) *see Section :	2 * Revision Date: January 28, 2013
Manufactured for:	Supplier:
ProRestore Products 1016 Greentree Road, Suite 115 Coraopolis, PA 15108 Telephone: 1-412-264-8340	
CHEMICAL EMERGENCY: INFOTRAC (US) 1-800-535-5053 (INT'L) 1-800-323-350	00

2. Ingredients

Name	CAS #	UN#	% by volume
Blended synthetic isoparaffinic hydrocarbon	64742-47-8		60-100
Fragrance - Aromatics (aldehydes, esters & ketones) and alcohols	n. av.		5-10
This MSDS pertains to the following "Thermo 55" fragrances			
Cherry, Citrus, Kentucky Bluegrass			
Neutral, Tabac-Attack			

3. Hazards Identification

Emergency Overview	
Combustible Liquid. May cause severe eye irritation.	
NOTE: Hazard information is based on the characteristics of the components of this mixture.	
Ingestion - May cause abdominal discomfort, nausea, vomiting and diarrhea.	
Inhalation - High concentration of the vapor may cause irritation of the respiratory tract.	
Eve Contact - Causes slight eve irritation.	

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.

Inhalation - Remove to fresh air. Administer artificial respiration if not breathing.

Eye Contact - Flush eyes with water for 15 minutes. Seek immediate medical attention.

Skin Contact - Prolonged contact may cause discomfort, redness, drying and defatting of the skin.

Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.

Thermo 55

5. Fire Fighting Measures

Flammability Yes X No	If yes, under which conditions? Combustible liquid. Potential fire hazard when exposed to excessive heat, flame or other sources of ignition.		
Flashpoint: Citrus - 179 °F (81.5 °C) Cherry - 154 °F (67.7 °C)	Explosion data n. ap.	Hazardous combustion products Carbon monoxide and/or carbon dioxide	
KBG - 183 °F (84 °C) Neutral - 190 °F (87.8	Upper flammable limit % by volume 5.0	Lower flammable limit % by volume 0.7	
°C) Tabac-Attack - 174 °F (79 °C)	Autoignition temperature 638.6 °F (337 °C)		
	type or all purpose foam for large fires. nd bunker gear for fire department pers	Use dry chemical media or carbon dioxide extinguishers for small connel.	

6. Accidental Release Measures

Eliminate all sources of ignition.

Wear personal protective equipment.

Do not allow spill to reach watercourse or sewers.

Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.

Collect and store waste materials in suitable containers for disposal i.e. metal drums.

7. Handling & Storage

Extinguish all sources of ignition in the work area. If the product is stored in metal containers the container must be grounded and bonded prior to dispensing the liquid. To prevent vapor escaping to the atmosphere keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid cabinet. Eyewash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non essential personnel prior to application of product.

8. Exposure Controls & Personal Protection

Personal Protective Equipment				
Gloves Natural Rubber	Respirator NIOSH TC-23C organic vapor respirator or equivalent	Eye Goggles or full face respirator		
Footwear	Clothing	Other		
n. ap.	Coveralls or equivalent	n. ap.		
none established for product				

Thermo 55

9.	Ph	ysical	and	Chemical	F	ro	per	tie
----	----	--------	-----	----------	---	----	-----	-----

Physical state Liquid	Odor and appearance Clear liquid, colorless to light yellow color, various odors (see Sec. 2)		
Odor threshold (ppm) n. av.	Vapor pressure (mm Hg) Vapor density (Air=1) 4.5		
Evaporation (butyl acetate = 1) n. av.	Boiling point 431.6 °F - 483.3 °F (222 °C - 251 °C)	Freezing point n. av.	
pH n. ap.	Specific gravity 0.79	Coefficient water/oil distribution n. av.	
Solubility in water 0%	Viscosity @ 77 °F (25 °C) 3 cs	% Volatiles (by weight) n. av.	

10. Stability	and Reactivity
---------------	----------------

Chemical Stability Yes X No		If no, under which conditions?	
Incompatibility with other survey Yes X No	ubstances	If yes, under which conditions?	Avoid contact with strong oxidizers.
Reactivity, and under Stable under normal conditions. what conditions?			
Hazardous decomposition products?	Carbon monoxide and	d/or carbon dioxide as com	bustion by-products.

11. Toxicological Information

Route of Entry Skin Contact X	Skin Absorption Eye C	Contact X Inhalation X	Ingestion X		
No toxicity studies have been conducted for the product.					
Carcinogenicity	Mutagenicity	Teratogenicity	Reproductive toxicity		
No	No	No	No		
Synergistic products	Sensitization	Neurotoxicity	Target organs		
No	No	No	Eyes and Skin		

12. Ecological Information

Thermo 55

13. Disposal	Considerat	ions
--------------	------------	------

Dispose of in compliance with all Federal, state and local laws and regulations.

14. Transport Information

Note: In containers of 119 gallons (US) capacity or less this product is not regulated by D.O.T.

Shipping Name: DEODORANTS, N.O.I.

Hazard Class: UN Identification #:

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a combustible liquid - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification B3

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

R phrases: R22, R36/37/38

S phrases: S23, S24/25, S26, S28, S39, S51, S62

16. Other Information

Abbreviations:

n. av. = not available mm Hg = millimeters of Mercury COC = Cleveland Open Cup LD = Lethal Dose n. ap. = not applicable
PMCC = Pensky Martens Closed Cup
TWA = Time Weighted Average
LC = Lethal Concentration

ppm = parts per million TCC = Tagliabue Closed Cup STEL = Short Term Exposure Limit

CS = centistokes